

# General Fire




3904-4004 E. Trent  
Spokane, WA. 99202

800-541-4218

Call Or Visit Us On The Web

[www.generalfire.com](http://www.generalfire.com)



*IN STOCK STATION WEAR FOR THE FIREFIGHTERS  
SHIRTS, PANTS, BELTS, JACKETS & FOOTWEAR*

## 4.5 oz Shirt (Short Sleeves)

**700NMX45 LB-NB**



Made with 4.5 oz Nomex® IIIA \* Extra-long shirt tail \* Two breast pockets with hook-and-loop flaps \* Left pocket features a pencil slot and above it, a badge tab \* Shoulder epaulets secured with Melamine buttons \* Five sewn-in military creases \* Collar band \* Double-stitched front placket with heavy-duty snap closure and decorative Melamine buttons \* Pressed and autoclaved \* Certified to NFPA 1975 station uniform standard

## 4.5 oz Shirts (Long Sleeves)

**WORK-705NMX45 LB-NB**



Made with 4.5 oz Nomex® IIIA \* Extra-long shirt tail \* Two breast pockets with hook-and-loop flaps \* Left pocket features a pencil slot and above it, a badge tab \* Shoulder epaulets secured with Melamine buttons \* Five sewn-in military creases \* Collar band \* Double-stitched front placket with heavy-duty snap closure and decorative Melamine buttons \* Concealed snap wrist closure \* Pressed and autoclaved \* Certified to NFPA 1975 station uniform standard.

# General Fire




3904-4004 E. Trent  
Spokane, WA. 99202

800-541-4218

Call Or Visit Us On The Web

[www.generalfire.com](http://www.generalfire.com)



## 7.5 oz Industrial/Fire Fighter Pants

400NMX75 NB

Made from 7.5 oz Nomex® IIIA \* Triple-stitched, feld-locked outer seams and seat seam for unparalleled durability \* All other seams, including zipper area, are double-stitched \* Solid brass zipper \* Two front deep-inset pockets \* Two large rear welt pockets, one with button \* Fully finished waistband with belt loops \* Permanent creases \* Pressed and autoclaved \* Certified to NFPA 1975 station uniform standard.



## 7.5 oz Industrial Pant, Full Cut

402NMX75 BK-NB

Made from 7.5 oz Nomex® IIIA \* Full cut for roomy fit \* Triple-stitched, feld-locked outer seams and seat seam for unparalleled durability \* All other seams, including zipper area, are double-stitched \* Solid brass zipper \* Two front deep-inset pockets \* Two large rear welt pockets, one with button \* Fully finished waistband with belt loops \* Permanent creases \* Pressed and autoclaved \* Certified to NFPA 1975 station uniform standard.

# General Fire




3904-4004 E. Trent  
Spokane, WA. 99202

800-541-4218

Call Or Visit Us On The Web

[www.generalfire.com](http://www.generalfire.com)



## Women's Station Wear



### 4.5 oz Shirt (Short Sleeves)

701NMX45 LB

Made from 4.5 oz Nomex® IIIA \* Extra-long shirt tail \* Two breast pockets with hook-and-loop flaps \* Left pocket features a pencil slot and above it, a badge tab \* Shoulder epaulets secured with Melamine buttons \* Five sewn-in military creases \* Collar band \* Double-stitched front placket with heavy-duty snap closure and decorative Melamine buttons \* Pressed and autoclaved \* Certified to NFPA 1975 station uniform standard

## Women's Station Wear



### 4.5 oz Shirt (Long Sleeves)

706NMX45 LB

Made from 4.5 oz Nomex® IIIA \* Extra-long shirt tail \* Two breast pockets with hook-and-loop flaps \* Left pocket features a pencil slot and above it, a badge tab \* Shoulder epaulets secured with Melamine buttons \* Five sewn-in military creases \* Collar band \* Double-stitched front placket with heavy-duty snap closure and decorative Melamine buttons \* Concealed snap wrist closure \* Pressed and autoclaved \* Certified to NFPA 1975 station uniform standard.

# General Fire




3904-4004 E. Trent  
Spokane, WA. 99202

800-541-4218

Call Or Visit Us On The Web

[www.generalfire.com](http://www.generalfire.com)



## Women's Station Wear



### 7.5 oz Women's Industrial / FF Pant

401NMX75

Made with 7.5 oz Nomex® IIIA \* Triple-stitched, feld-locked outer seams and seat seam for unparalleled durability \* Lock-stitched dart helps accommodate women's waist sizes \* All other seams, including zipper area, are double-stitched \* Solid brass zipper \* Two front deep-inset pockets \* Two large rear welt pockets, one with button \* Fully finished waistband with belt loops \* Permanent creases \* Pressed and autoclaved \* Certified to NFPA 1975 station uniform standard,

## Uniform Belt



### 1 1/2" Uniform Belt

Black 1 1/2" Wide Uniform Belt  
Basket weave Design  
Chrome Buckle

# General Fire




3904-4004 E. Trent  
Spokane, WA. 99202

800-541-4218

Call Or Visit Us On The Web

[www.generalfire.com](http://www.generalfire.com)



## White Dress Shirts Long & Short Sleeve Shirts



### Long & Short Sleeve

Non-Flame Resistant

Two breast pockets with hook-and-loop flaps \* Left pocket features a pencil slot and above it, a badge tab \* Shoulder epaulets secured with Melamine buttons \* Five sewn-in military creases \* Collar band \* Double-stitched front placket with heavy-duty snap closure and decorative Melamine buttons

## STATION FOOTWEAR 804-6026



### 6" Quick Release Station Boot Safety Toe

**75** -Safety Toe, Class I/75 footwear retains a .500 inch (1/2 inch) for men's and .468 inch (15/32 inch) for women's or greater clearance after a nominal impact of 75 foot-pounds (101.7J), i.e., a 50 pound weight dropped from 18 inches reaching 117.9 ± 2.4 inches per second velocity at impact. Compression: Class C/75 footwear retains a .500 inch (1/2 inch) after compression of 2500 lbs. (11,121 N) or greater. Meets ASTM 2413-05 M/I/75/C/75 ratings.

**EH** -Electrical Hazard, Protective footwear constructed or manufactured with electric shock resisting soles and heels capable of withstanding an application of 14,000 volts (root mean square (RMS) value) at 60 Hz for 1 minute with no current flow or leakage current in excess of 3.0 milliamperes under dry conditions.

**ESR** -Electric Shock Resistance, Electric Shock Resistance

**NM** -Non-Marking, Does not leave surface residue when tested according to MIL-S-22777 paragraph 4.5.1.

**UPPER:** Black Full Grain Leather

**CONSTRUCTION:** Direct Injection

**OUTSOLE:** Translucent TPU (Thermo Plastic Urethane)

**LINING:** Non-Woven Nylon

**INSOLE:** Removable Polyurethane

**MIDSOLE:** Polyurethane

**SHANK:** Plastic

**SPECIAL FEATURES:** ASTM F 2413-05 M/I/75/C/75 Steel Toe. Electrical Hazard. [Tested For and Meets CAN/CSA-Z195 18,000 Volts Electrical Shock Resistance Standard.](#)

Quick Release Elastic Gore. Pull Straps

**M** 7 - 12 , 13, 14

**W** 7 - 12 , 13, 14

# General Fire




3904-4004 E. Trent  
Spokane, WA. 99202

800-541-4218

Call Or Visit Us On The Web

[www.generalfire.com](http://www.generalfire.com)



## CHICAGO 2000



HIP-LENGTH WATERPROOF BREATHABLE EMS JACKET MADE OF STEDAIR EMS OUTER SHELL. THINSULATE™ REMOVABLE LINER. FOUR-POCKET FRONT, DOUBLE STORM PLACKET AND TELESCOPIC COLLAR. ATHLETIC CUT SLEEVE AND 2" SILVER SCOTCHLITE™ REFLECTIVE PACKAGE. NFPA 1999, 2003 EDITION CERTIFIED.

- STEDAIR EMS FABRIC, WATERPROOF/BREATHABLE.
- OUTER SHELL TRI-LAMINATE BARRIER CONSTRUCTION
- NFPA 1999, 2003 EDITION CERTIFIED TO STOP BLOOD BORNE PATHOGENS.
- TESTED AND CLASSIFIED BY UNDERWRITERS LABORATORIES.
- REMOVABLE THINSULATE™ QUILTED LINER
- LARGE, TWO-WAY CARGO POCKETS WITH TOOL HOLDERS AND FLAP CLOSURES.
- PATCH POCKETS ON BOTH CHESTS WITH FLAP CLOSURES.
- MICROPHONE TABS ON BOTH SHOULDERS.
- ATHLETIC CUT SLEEVES FOR GREATER COMFORT AND MOBILITY.
- ADJUSTABLE VELCRO® CUFFS.
- SCOTCHLITE™ REFLECTIVE MATERIAL PACKAGE.
- REFLECTIVE IMPRINTING AVAILABLE
- ELASTICIZED DRAWSTRING WAISTBAND.