



MORNING PRIDE NFPA-1971, PERSONAL PROTECTIVE EQUIPMENT COAT & PANTS

COAT DESIGN:

SHELL: ADVANCE GOLD, 60% KEVLAR/40% NOMEX, TAIL DESIGN ANTI-STRESS SYSTEM
 THERMAL LINER: 2-LAYER SPUNLACE/META-ARAMID FACECLOTH FOR EASY DONNING/DOFFING
 MOISTURE BARRIER: CROSSTECH/NOMEX FACECLOTH (LINER & MOISTURE BARRIER DETACHABLE)
 STD. COAT CUFFS
 STD. 3" LIME-YELLOW/SILVER SCOTCHLITE TRIM WITH TWO ROWS OF STITCHING THROUGHOUT
 STD. INTERIOR LABEL POCKET 8-1/2"x8-1/2"
 VISLON HI-TEMP ZIPPER SYSTEM WITH NARROW VELCRO CLOSURE
 COMFORT NOMEX 10" COMFORT CHINSTRAP KEVLAR/NOMEX WITH BLACK KNIT MATERIAL
 COMFORT 3" HIGH COLLAR, INTERIOR-LINED WITH BLACK NOMEX
 MOISTURE BARRIER INSPECTION PORT LINER WITH VELCRO CLOSURE
 HALF-HI BELLOW POCKETS (2) 6"x9"x1-1/2"
 RADIO POCKET ON LEFT CHEST 8"x3"x2" WITH VELCRO FLAP CLOSURE
 NOMEX LONG TABBED BLACK KNIT WRISTLET WITH THUMB LOOP (GAUNTLET GLOVE APPROVED)
 ARTICULATING RAPID RESCUE STRAP WITH VELCRO FLAP CLOSURE
 MIC TAB KEVLAR/NOMEX GOLD
 STANDARD LENGTH 29" FRONT/35" REAR, 34 & 36" SLEEVES (OPTIONAL LENGTHS ALSO AVAILABLE)
 THERMAL PROTECTIVE PERFORMANCE (TPP)-40: TOTAL HEAT LOSS (THL)-296.65, WEIGHT-5.5 LBS.
 NFPA 2007-EDITION CONSTRUCTION AND LABELING

COAT OPTIONS INCLUDE: LARGE HOOK ON PATCH, NAME PATCH WITH 2" OR 3' SCOTCHLITE LETTERS/NUMBERS, FLASHLIGHT STRAP WITH VELCRO



PANT DESIGN:

SHELL: ADVANCE GOLD, 60% KEVLAR/40% NOMEX, STANDARD WAIST-HIGH DESIGN
 THERMAL LINER: 2-LAYER SPUNLACE META/ARAMID FACECLOTH FOR EASY DONNING/DOFFING
 MOISTURE BARRIER: CROSSTECH/NOMEX FACECLOTH (LINER & MOISTURE BARRIER DETACHABLE)
 STD. NARROW 1.5" VELCRO FLY
 ANGLED PANT CUFFS WITH BLACK NOMEX CUFF REINFORCEMENT
 MOISTURE BARRIER INSPECTION PORT LINER WITH VELCRO CLOSURE
 STD. 3" LIME-YELLOW/SILVER SCOTCHLITE TRIM AROUND CUFFS WITH TWO ROWS OF STITCHING
 BIFLEX HEAT CHANNEL REPLACEABLE KNEES IN KEVLAR/NOMEX GOLD
 TAKE UP STRAPS (2) BLACK KEVLAR/NOMEX
 BELLOW POCKETS (2) 9"x9"x2"
 SEAMLESS CROTCH DIAMOND ONE-SIZE LARGER FOR FLEXIBLE FIT AND MOBILITY.
 THERMAL PROTECTIVE PERFORMANCE (TPP)-40: TOTAL HEAT LOSS (TH)-296.65, WEIGHT-5.0LBS.
 NFPA 2007-EDITION CONSTRUCTION AND LABELING

PANT OPTIONS INCLUDE: BELT LOOPS AND BELT



VISION ZIPPER & STORM FLAP COVER

*NOMEX
LONG TABBED
WRISTLETS &
THUMB
LOOPS*

*BI-FLEX
REPLACEMENT
KNEES*



3" COLLAR

DRAG RESCUE DEVICE

*FORWARD FLEX
SLEEVES*

ANGLED CUFFS

DRAG RESCUE DEVICE

