

GENERAL FIRE APPARATUS, INC.

MAIN WAREHOUSE | FABRICATION PLANT SERVICE CENTER | 4004 E. Trent Ave., Spokane, WA 99202
 P: (509) 535-4255 | F: (509) 534-8529 | TF: 1-800-541-4218 | www.generalfire.com



WAHKIAKUM COUNTY FD #1



SCOTT KEHRLI
 CATHLAMET, WASHINGTON



[CLICK HERE TO VIEW DRAWING](#)



FREIGHTLINER 2010 M2 112 FOUR DOOR CHASSIS	HINGED UPPER & LOWER PUMP PANEL ACCESS LEFT & RIGHT SIDE
12K FRONT 40K REAR AXLES, MBE 410 HP DIESEL ENGINE	2500 GALLON POLY TANK WITH LED SUPER BRIGHT WATER LEVEL
270 AMP ALTERNATOR, 2200 CCA DUAL BATTERY SYSTEM	3" REAR MOUNTED DIRECT TANK FILL, 10 X 10 SWIVEL DUMP
ALLISON 4000 EVS AUTOMATIC TRANSMISSION	TWO ADJUSTABLE DIVIDERS WITH A VINYL HOSEBED COVER
ALUMINUM DISC OUTSIDE POLISHED WHEELS, AIR CAB MOUNTS	1/8" ROSENBAUER ALUMINUM TENDER APPARATUS BODY
CAB SILENCER KIT, HIGH BACK AIR RIDE DRIVERS SEATS	4-NATURAL FINISHED ROM ROLL UP COMPARTMENT DOORS
SCBA OFFICERS SEAT & 3 SCBA CREW SEAT BACKS	ADJUSTABLE SHELVES WITH MODULAR FLOOR & SHELF COVERING
LEFT SIDE ALUMINUM FUEL CELL, 24" FRONT BUMPER EXTENSION	INCANDESCENT COMPARTMENT & UNDER SHELF LIGHTING
3 FRONT BUMPER HOSEWELL COMPARTMENTS, HUB & NUT COVER	REAR CENTERED DROP DOWN DOOR COMPARTMENT
TIRE PRESSURE EQUALIZER-INDICATORS, AUTOMATIC TIRE CHAINS	SLIP-OUT VERTICAL REAR LOADING ENCLOSED LADDER STORAGE
4 SCBA BRACKETS, 5-ZICO HELMET HOLDERS, 1000 GPM PUMP	SLIP-OUT VERTICAL REAR LOADING ENCLOSED FOLDING TANK
FULL PUMP AND ROLL CAPABILITY, OILLESS PRIMERS SYSTEM	REAR MOUNTED FULL WIDTH INTERMEDIATE HOSE LOADING STEP
STAINLESS STEEL SUCTION & DISCHARGE MANIFOLDING	EIGHT SCBA WHEELWELL CYLINDER STORAGE COMPARTMENTS
3" TANK TO PUMP, 2 1/2" TANK REFILL, 2-2 1/2" GATED INTAKE	BATTERY & AIR CONDITIONER WITH 20 AMP AUTO EJECTOR
2-1.75" FRONT BUMPER DISCHARGES, 1-2.5" CROSSLAY	DUAL STUTTERTONE AIR HORNS, 2 150 WATT D/C FLOOD LIGHTS
2.5" LEFT SIDE & REAR, 1-3" LDH RIGHT SIDE DISCHARGES	VEHICLE DATA RECORDER, SEAT BELT WARNING SYSTEMS
FIREFOX REMOTE CONTROL BUMPER MONITOR WITH CAB CONTROL	LED EMERGENCY, DOT LIGHTING, HALOGEN SCENE LIGHTING
3" DECK MONITOR, 1" X 150' ELECTRIC BOOSTER REEL	IN CAB A/C SHORELINE WITH POWER DISTRIBUTION STRIP IN CAB
WHITE THERMO COATED COMPARTMENT INTERIOR SURFACES	POLISHED ALUMINUM TANDEM CHASSIS ALUMINUM WHEELS
NFPA CHEVRON STRIPPING, FOLDING WHEEL CHOCKS	24' 2 SECTION, 14' ROOF & 10' FOLDING LADDER SET
6' & 10' PIKES, 5" X 10' LIGHTWEIGHT CLEAR SUCTION HOSE	5" LIGHTWEIGHT BARREL STRAINER, 22 OZ FOLDING TANK



2 1/2" DISCHARGE

**SWIVEL DUMP STOWED
RIGHT SIDE**

3" DIRECT TANK FILL



SWIVEL DUMP EXTENDED



**SWIVEL DUMP STOWED
DRIVERS SIDE**



REAR LOADING

FOLDING TANK & SUCTION HOSE



LADDER SET, PIKE POLES & SUCTION HOSE





FRONT BUMPER

**SIDE CONTROL PANEL
VERTICALLY HINGED PANEL**

CONTROL PANEL STEP



**FRONT BUMPER DISCHARGE
ROLLED 2 1/2" HOSE LAYS**



CANOPY PANEL STEP